


#### **Uniqe characteristics**





Backflow protection unit type





## 9000XE kitchen mixer

9000XE kitchen mixer with C-spout in brushed chrome suits any kitchen, whatever its size. This kitchen mixer is lead-free and equipped with our smart, innovative, energy-saving functions such as cold start, soft closing, a temperature limiter function and an energy- and water-saving aerator. Its timeless, practical design makes it a functional and aesthetically durable addition to any modern home. This product is LEED certified, which means it meets the flow rate requirements applicable to certain new buildings and conversions.

Article number: 86007413 Flow 3 bar: 3.1 l/m Description: Brushed chrome, 3,1 l/min, LEED compliant


- · Cold Start
- · Ceramic cartridge with soft closing function
- · Adjustable flow control and temperature limiter
- · Eco Flow (energy and water saving aerator)
- Swivel spout, limitation part for 60°, 85°, 110° or 360° included
- Soft PEX® hoses with 3/8" connecting nut (stainless steel braided)
- Lead Free material
- Hole diameter Ø34-37 mm

### PRODUCT DESCRIPTION

## 9000XE kitchen mixer

9000XE kitchen mixer with C-spout in brushed chrome suits any kitchen, whatever its size. This kitchen mixer is lead-free and equipped with our smart, innovative, energy-saving functions such as cold start, soft closing, a temperature limiter function and an energy- and water-saving aerator. Its timeless, practical design makes it a functional and aesthetically durable addition to any modern home. This product is LEED certified, which means it meets the flow rate requirements applicable to certain new buildings and conversions.

Article number: 86007413



| NO FINANCE DOLC DECODIREION              |                     |
|--|---------------------|
| NO. FMM NO. RSK DESCRIPTION              |                     |
| 1 S600103 8387035 Spout, U-model, ch     | rome                |
| 1 S600103.75 8387037 Spout, U-model, br  | ushed chrome        |
| 2 S600155 8280012 Housing M22 int., c    | hrome               |
| 2 S600155.75 8280013 Housing M22 int., b | rushed chrome       |
| 3 29102910 8281534 Aerator insert, 5,5-  | 6,5 l/min at 300kPa |
| 3 29100500 8281532 Aerator insert, 5 l/n | nin at 200–600 kPa  |
| 3 S600072 8281671 Aerator insert, 3 l/n  | nin at 200–600 kPa  |

# FM Mattsson

| NO. | FMM NO.    | RSK     | DESCRIPTION   |
|-----|------------|---------|---|
| 4   | S600102    | 8387032 | Spout, C-model, chrome  |
| 4   | S600102.75 | 8387034 | Spout, C-model, brushed chrome  |
| 5   | S600096    | 8387022 | Lever, complete, chrome   |
| 5   | S600096.75 | 8387024 | Lever, complete, Brushed chromeb                                      |
| 6   | S600097    | 8387025 | Cover lid with colour marking   |
| 7   | S600101    | 8387029 | Cover sleeve, chrome  |
| 7   | S600101.75 | 8387031 | Cover sleeve, brushed chrome  |
| 8   | S600098    | 8387026 | Ceramic cartridge with tool, for kitchen mixers                       |
| 8   | S600209    | 8387039 | Ceramic cartridge, for kitchen mixers                                 |
| 8   | S600100    | 8387028 | Ceramic cartridge with tool, for kitchen mixer (LEED) and basin mixer |
| 8   | S600099    | 8387027 | Ceramic cartridge, for kitchen mixer (LEED) and basin mixer           |
| 9   | 58641000   | 8594560 | Lock kit for swivel spout   |
| 10  | 37801550   | 8295350 | O-ring 15,54 x 2,62, 2 pcs  |
| 11  | 39142800   | 8186893 | Fastening kit, for kitchen mixer with on/off valve                    |
| 12  | S600175    | 8387083 | Care-lever, complete  |
| 13  | S600106    | 8397001 | Care-kit  |
| 14  | 39147000   | 8592050 | Stabilizer kit  |